



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Appln. of: L. Zurek, et al.  
Appln. No.: 10/821,440  
Filed: April 9, 2004  
For: FLUID FLOW METER HAVING  
AN AUXILIARY FLOW  
PASSAGE

Examiner: Unknown

Art Unit: Unknown

Attorney Docket No: 10541-1701

Mail Stop PGPUB Drawings  
Commissioner for Patents  
U.S. Patent and Trademark Office  
P. O. Box 1450  
Alexandria, VA 22313-1450


TRANSMITTAL OF REPLACEMENT SHEETS OF DRAWINGS

Sir:

Enclosed are four (4) replacement sheets of drawings, replacing  
the drawings originally filed with the application.

Respectfully submitted,

April 30, 2004  
Date

  
Raymond J. Vivacqua (Reg. No. 45,369)

RJV/slk

Attachment: Return Receipt Postcard

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, with sufficient postage, in an envelope addressed to: Mail Stop PGPUB Drawings, Commissioner for Patents, U.S. Patent and Trademark Office, P. O. Box 1450, Alexandria, VA 22313-1450 on the below date:

Date: April 30, 2004 Name: Raymond J. Vivacqua Signature: 